

FT5260 HORIZONTAL SHAFT IMPACT CRUSHER

www.kpijci.com

KOLBERG-PIONEER, INC.

700 West 21st Street
Yankton, SD 57078 USA
605.665.9311 F 605.665.8858

JOHNSON CRUSHERS INT.

86470 Franklin Boulevard
Eugene, OR 97405 USA
541.736.1400 F 541.736.1424

Because KPIJCI may use in its catalog & literature, field photographs of its products which may have been modified by the owners, products furnished by KPIJCI may not necessarily be as illustrated therein. Also continuous design progress makes it necessary that specifications be subject to change without notice. All sales of the products of KPIJCI are subject to the provisions of its standard warranty. KPIJCI does not warrant or represent that its products meet any federal, state, or local statutes, codes, ordinances, rules, standards or other regulations, including OSHA and MSHAGATOR, covering safety pollution, electrical, wiring, etc. Compliance with these statutes and regulations is the responsibility of the user and will be dependent upon the area and the use to which the product is put by the user. In some photographs, guards may have been removed for illustrative purposes only. This equipment should not be operated without all guards attached in their normal position. Placement of guards and other safety equipment is often dependent upon the area and the use to which the product is put. A safety study should be made by the user of the application, and, if required, additional guards, warning signs and other safety devices should be installed by the user, wherever appropriate before operating the products.

NOTE: SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE

REV. 2 10/08





FT5260

Unrivaled Capacity | Superior Efficiency | Single-Load Mobility

HORIZONTAL SHAFT IMPACT CRUSHER




AGGREGATE AND
MINING GROUP

COMPROMISE ISN'T AN OPTION

The day-to-day challenges of the job can be immense. You never know what the customer—or Mother Nature—is going to throw at you. But, rest assured, if you've got the FT5260 on your side, you'll be able to handle whatever comes your way. The FT5260 is the largest capacity high-efficiency, track mounted crusher we've ever designed. And because the FT5260 is engineered to be single-load portable, it's an ideal solution for large contractors or quarry work. Put the FT5260 to work for you and never compromise again.

FT5260 HORIZONTAL SHAFT IMPACT CRUSHER



PERFORMANCE

- P1 Oversized Feed Opening**
The FT5260 accepts more material in each load than any other machine we make.
- P2 Dual Aprons**
Adjust independently and automatically, providing maximum application flexibility.

SAFETY

- S1 Crusher Housing**
Hydraulically opens over center for safe and easy maintenance access.

DURABILITY

- D1 Wear Liners**
Bolt-on design eliminates costly downtime.
- D2 Maximum Performance Rotor**
The MPR provides the rugged performance of a solid rotor with the accessibility of a segmented rotor.

EASE-OF-USE

- E1 Overload Protection System (OPS)**
Delivers protection by preventing nuisance overloads and costly down time caused by excessive feeds.





Unrivaled Capacity | Superior Efficiency | Single-Load Mobility

DIMENSIONS

(Overall Length) Transport & Operating	56ft 9in / 17.297m	56ft 9in / 17.297m
(Overall Height) Transport & Operating	12ft / 3.658m	14ft 2in / 4.138m
(Overall Width) Transport & Operating	12ft / 3.658m	17ft 5in / 5.309m

WEIGHT

112,500lbs / 51029kg

FEEDER

Size	50in x 15ft / 1270mm x 4.572m
Grizzly Type/Size	Step Deck 50inx5ft / (1270mmx1524mm)
Standard Grizzly Bar Spacing	Nominal Opening 2.50in (622mm)
Hopper Volume w/o Ext.	6.50cu/yds / 4.9375cu/m
Hopper Volume w Optional Ext.	7.50cu/yds / 5.75cu/m

CRUSHER

Feed Opening	36in x 60in / 914mm x 1524mm
Drive	Hydrostatic Dual Drive Motors

UNDER CRUSHER CONVEYOR

Length	43ft 11in / 13.081m
Width	60in / 1524mm
Discharge Height	11ft / 3.353m
Drive	Hydraulic Dual Drive Motors

TRACKS

Length	16ft 6in / 5.029m
Shoe Width	24in / 310mm

CHOOSE THE FT5260 HSI CRUSHER WHEN:

Capacity matters.

The FT5260 is the largest capacity, track mounted HSI crusher in the KPI-JCI family of products.

Efficiency is essential.

Sacrificing efficiency isn't an option in this day and age. And with the FT5260, you won't have to.

Single-load mobility is a must.

The FT5260 was engineered to be the largest HSI crusher on the market that can be hauled in one piece.

www.kpijci.com

For complete specs on the FT5260 from KPI-JCI, visit www.kpijci.com.



Because we're dedicated to keeping you up and running, we've provided two resources for quality parts and service. FT5260 HSI Crusher parts and service are available from your local KPI-JCI dealer and/or your local KPI-JCI representative.

Call 605-665-9311 to find the dealer or representative nearest you.